



ELD FLEET SOLUTIONS

TOP SOLUTIONS

SAMSUNG TAB A 8.0 (2018) TRANSPORTATION BUNDLE

RAM-GDS-B-101LB-SAM40U

- IntelliSkin® device sleeve provides MIL-STD-810G Drop Protection
- Keyed locking dock for theft deterrence
- Includes 1" ball and socket mount with dash backing plate
- Powered by GDS® Modular Hardwire Charger
- RAM® Mounts and GDS® Ecosystem Compatible™
- 3-year warranty on all electronics



SAMSUNG TAB ACTIVE2
TRANSPORTATION BUNDLE

RAM-B-101-225B-SAM7PKL-HARU

- RAM® EZ-Roll'r™ single-handed secure docking and release
- Keyed locking for theft deterrence
- Compatible with OEM Tab Active2 case
- Includes 1" ball and socket mount with dash backing plate
- Powered by GDS® Modular Hardwire Charger
- RAM® Mounts and GDS® Ecosystem Compatible™
- 3-year warranty on all electronics



TABLET DOCKS

GDS® DOCKS Keep your devices charged while on the go with GDS® vehicle docks. These spring-loaded cradles are available in locking versions, and support full-time charging and data transfer capabilities for any device equipped with an IntelliSkin® sleeve. GDS® vehicle docks are compatible with a wide range of Samsung tablets.

See Page 9 for product compatibility



RAM-GDS-DOCKL-V2-SAM29U



RAM-GDS-DOCKL-V2-SAM40-AUD1U

RAM® FORM-FIT CRADLES

This powered cradle for the Samsung Tab Active2 supports simultaneous data syncing and is designed to meet the demands of field workers in a variety of applications. Power and data sync capabilities are provided to the Tab Active2 through seven pogo pins. Available in standard, keyed lock, and combination lock versions, the cradle supports additional USB 1.1 peripherals like keyboards and scanners. Unique features include access to the stylus and the NFC reader while the device is in the cradle, as well as the ability to easily rotate the device for use in portrait or landscape mode.

See Page 9 for product compatibility



RAM-HOL-SAM7PKL2-CIGU



RAM-HOL-SAM7PKL2-CIGU



RAM-HOL-SAM7PU

PHONE DOCKS



GDS® PHONE DOCKS

GDS® phone docks are spring-loaded and provide a quick release of the mounted Samsung phone. Equipped with a compatible IntelliSkin® sleeve, these docks allow for full-time vehicle charging.

See Page 9 for product compatibility



RAM-GDS-DOCK-V1U
RAM-GDS-DOCK-V1CU



RAM-B-138U



RAM-GDS-SKIN-SAM39



RAM-202-225BU



RAM-B-224-1U

VEHICLE MOUNTS

RAM® MOUNTS COMPATIBLE

GDS® Docks™ and RAM® Powered Cradles are RAM® Mounts Compatible™ — meaning they can attach to a wide range of RAM® ball plates that include standard hole patterns. RAM® ball mounts and socket arms allow for near-infinite adjustability, while also providing shock and vibration dampening in several different applications. When it comes to mounting options, RAM® has you covered with popular drill-down dash mounts and RAM® No-Drill™ floor mounts



RAM-316-HD-18-202U



RAP-403FU



RAM-B-101U-225B

THE GDS® ECOSYSTEM™

The GDS® Ecosystem™ offers everything to keep your devices protected, connected, and charged in nearly any application. Ruggedized GDS® Technology™ pogo pins ensure compatibility across IntelliSkin® sleeves and GDS® Docks™, adapters, chargers, keyboards, speakers, monitors, and more. And most products in the GDS® Ecosystem™ are RAM® Mounts Compatible™, so you can rely on the RAM® double ball and socket system for adjustability, durability, and vibration dampening.

GDS® Audio™

GDS® Charge™

GDS® Dock™

GDS® Ergo™

GDS® Hub™

GDS® Key™

GDS® Service™

GDS® View™

IntelliSkin®

Visit www.gdstech.com to learn more



PRODUCT COMPATIBILITY

GDS® DOCKS™ FOR TABLETS

DEVICE	INTELLISKIN®	GDS® DOCK™	DOCK DESCRIPTION
Samsung Galaxy Tab A 8.0 (2018) SM-T387	RAM-GDS-SKIN-SAM40	RAM-GDS-DOCKL-V2-SAM40U	Powered Dock
Samsung Galaxy Tab A 8.0 (2018) SM-T387	RAM-GDS-SKIN-SAM40	RAM-GDS-DOCKL-V2-SAM40-AUD1U	Powered Dock with Audio Cable
Samsung Galaxy Tab Active2	RAM-GDS-SKIN-SAM29H	RAM-GDS-DOCKL-V2-SAM29U	Powered Dock with USB Type A
Samsung Galaxy Tab Active2	RAM-GDS-SKIN-SAM29H	RAM-GDS-DOCKL-V2-SAM29CU	Powered Dock with USB Type C

GDS® DOCKS™ FOR PHONES

DEVICE	INTELLISKIN®	GDS® DOCK™	DOCK DESCRIPTION
Samsung Galaxy S8	RAM-GDS-SKIN-SAM28	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy S7	RAM-GDS-SKIN-SAM22	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy S9	RAM-GDS-SKIN-SAM39	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy S8+	RAM-GDS-SKIN-SAM30	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Xcover 4	RAM-GDS-SKIN-SAM37	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy Note 9	RAM-GDS-SKIN-SAM42	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy J3 (2017)	RAM-GDS-SKIN-SAM31	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy S6	RAM-GDS-SKIN-SAM14U	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy J3 (2016)	RAM-GDS-SKIN-SAM25	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy J7 (2017)	RAM-GDS-SKIN-SAM32	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy J3 (2018)	RAM-GDS-SKIN-SAM44	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy J7 (2018)	RAM-GDS-SKIN-SAM45	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy S9	RAM-GDS-SKIN-SAM39HD	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy S5	RAM-GDS-SKIN-SAM7U	RAM-GDS-DOCK-V1U	USB Type A Dock
Samsung Galaxy S10	RAM-GDS-SKIN-SAM46	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy S10e	RAM-GDS-SKIN-SAM47	RAM-GDS-DOCK-V1CU	USB Type C Dock
Samsung Galaxy S10+	RAM-GDS-SKIN-SAM48	RAM-GDS-DOCK-V1CU	USB Type C Dock
Galaxy Xcover 4s	RAM-GDS-SKIN-SAM51	RAM-GDS-DOCK-V1CU	USB Type C Dock
Galaxy A20e	RAM-GDS-SKIN-SAM53	RAM-GDS-DOCK-V1CU	USB Type C Dock

RAM® FORM-FIT CRADLES FOR SAMSUNG GALAXY TAB ACTIVE2

PART NUMBER	HOLDER TYPE	POWER TYPE	INCLUDED CHARGER
RAM-HOL-SAM7PA-HARU	Non-Locking	Power Only	Hardwire Charger
RAM-HOL-SAM7P2-CIGU	Non-Locking	Power + Data	Cigarette Charger
RAM-HOL-SAM7P2-HARU	Non-Locking	Power + Data	Hardwire Charger
RAM-HOL-SAM7PCL-HARU	Combination Lock	Power Only	Hardwire Charger
RAM-HOL-SAM7PCL2-CIGU	Combination Lock	Power + Data	Cigarette Charger
RAM-HOL-SAM7PCL2-HARU	Combination Lock	Power + Data	Hardwire Charger
RAM-HOL-SAM7PCLU	Combination Lock	Power Only	Cigarette Charger
RAM-HOL-SAM7PKL-HARU	Keyed Lock	Power Only	Hardwire Charger
RAM-HOL-SAM7PKL2-HARU	Keyed Lock	Power + Data	Hardwire Charger
RAM-HOL-SAM7PKLU	Keyed Lock	Power Only	Cigarette Charger
RAM-HOL-SAM7PAU	Non-Locking	Power Only	Cigarette Charger
RAM-HOL-SAMN7PKL2-CIGU	Keyed Lock	Power + Data	Cigarette Charger

VEHICLE MOUNTS

PART NUMBER	DESCRIPTION
RAM-B-138U	Double Ball Dashboard Mount
RAM-B-101U-225B	Double Ball Dashboard Mount with Backing Plate
RAP-403FU	Spacer Plate for Flush Dashboard Mounting
RAM-316-HD-18-202U	RAM® Pod HD™ Floor Mount with 18" Pipe
RAM-316-HD-202U	RAM® Pod HD™ Floor Mount with 12" Pipe
RAM-316-HDR-202U	RAM® Pod HD™ Reverse Floor Mount with 12" Pipe
RAM-316-HDR-18-202U	RAM® Pod HD™ Reverse Floor Mount with 18" Pipe
RAM-316-HD-18-202-SPRU	RAM® Pod HD™ Vehicle Mount for '07-'19 Mercedes Sprinter Van
RAM-202-225BU	RAM® Dashboard Backing Plate Adapter
RAM-B-224-1U	RAM® Twist-Lock™ Suction Cup Ball Base

GDS® CHARGE™

A wide variety of GDS® Charge™ accessories help to power GDS® devices and docks. Choose from cigarette, hardwire, and wall chargers for a variety of USB types. See the list below to find the charger that's compatible with your device.



RAM-GDS-CHARGE-USB2QCCIG



RAM-GDS-CHARGE-V7BU

PART NUMBER	CHARGER TYPE	INPUT RANGE	OUTPUT	OUTPUT CONNECTOR TYPE	COMPATIBLE DEVICES
RAM-GDS-CHARGE-USB2W	2 port wall charger	100-240V 50/60Hz	5V/2.4A Per Port 24W Max	2 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less
RAM-GDS-CHARGE-USB2QCCIG	2 port cig charger with Quick Charge support	12-18VDC	Port 1: Quick Charge 3.0(18W) Port 2: 5V/2.4A (12W) 30W Max	2 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm® Quick Charge™ 2.0/3.0 devices
RAM-GDS-CHARGE-V7BU	USB Type-A hardwire	8-40VDC	5VDC & 9VDC (QC only) 2.5A Max	.2M cable with USB-A Female	Any 5V device with a current requirement of 2.5A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm® Quick Charge™ 2.0/3.0 devices
RAM-GDS-CHARGE-V7-M55U	DC cable hardwire	8-40VDC	5VDC 2.5A Max	1.2M cable with DC plug	Any 5V device with a current requirement of 2.5A or less
RAM-GDS-CHARGE-V7-MUSBU	mUSB hardwire	8-40VDC	5VDC 2.5A Max	1.2M cable with Micro-B USB Male	Any 5V device with a current requirement of 2.5A or less
RAM-GDS-CHARGE-V7-USBCU	USB Type-C hardwire	8-40VDC	5VDC & 9VDC (QC only) 2.5A Max	1.2M cable with USB-C Male	Any 5V device with a current requirement of 2.5A or less. Includes support for Qualcomm® Quick Charge™ 2.0/3.0 devices
RAM-GDS-CHARGE-USB6	6 port charger	100-240V 50/60Hz	5V/2.4A Per Port 60W Max	6 Qty USB-A Female	Any 5V device with a current requirement of 2.4A or less
RAM-GDS-CHARGE-V3CU	USB Type-C hardwire	10-26VDC	5V/3A; 9V/3A; 12V/3A 15V/3A 45W Max	1.2 M cable with USB-C Male	Any device supporting Power Delivery 2.0 up to 45W
RAM-GDS-CHARGE-USBCW	USB Type-C wall charger	100-240V 50/60Hz	5V/3A; 9V/3A; 12V/3A; 15V/3A; 20V/2.25A 45W Max	USB-C Female	Any device supporting Power Delivery 2.0 up to 45W
RAM-GDS-CHARGE-CIGC	USB Type-A and Type-C cig charger	12-24VDC	USB-A: 5V/2.4A; 9V/2A; 12V/1.5A USB-C: 5V/3A; 9V/2A; 12V/2.4A; 47W Max	USB-A Female USB-C Female	USB-A: Any 5V device with a current requirement of 2.4A or less. Includes support for Qualcomm® Quick Charge™ 2.0 devices USB-C: Devices supporting Power Delivery 2.0 up to 28W
RAM-GDS-CHARGE-USBC2W	GDS® Type-C and Type-A 48W Premium 2-Port Wall Charger	100V-240V 50/60Hz	USB-A Output : 5V/3A, 9V/2A, 12V/1.5A. USB 2.0 BC 1.2 5V/1.67A, Apple iOS 2.1A and 2.4A support, Qualcomm QC 3.0 on both Type A and Type C up to 18W each. Type C Power Delivery 3.0:5V/3A, 9V/3A, 15V/2A, 20V/1.5A Max 48W (30W for Type-C & 18W for Type-A)	1 QTY Type-C Female (Power Delivery) & 1 QTY Type-A Female (QC 3.0), USB-A: Any 5V, 9V or 12V device with a current requirement of 18W or less. Includes support for Qualcomm Quick Charge 3.0 devices, Apple iOS 2.1A and 2.4A.	USB-C: Devices supporting USB 3.1 Power Delivery 3.0 up to 20V/1.5A
RAM-GDS-CHARGE-USBCW	GDS® Type-C 18W Mini Wall Charger	100V-240V 50/60Hz	Type C QC 3.0 Output: 5V/3A, 9V/2A, 12V/1.5A. Type C Power Delivery 3.0 : 5V/3A, 9V/2A, 12V/1.5A, 15V/1.2A Max 18W @3A	1 QTY Type-C Female (Power Delivery)	USB-C: Devices supporting USB 3.1 Power Delivery 3.0 and Qualcomm Quick Charge 3.0 up to 15V/1.2A
RAM-GDS-CHARGE-CIGC	GDS® Type-C and Type A 2-Port Cigarette Charger	12-24V DC	USB-A Output : 5V/3A, 9V/2A, 12V/1.5A. USB 2.0 BC 1.2 5V/1.67A, Apple iOS 2.1A and 2.4A support, Qualcomm QC 3.0 on both Type A and Type C up to 18W each. Type C Power Delivery 3.0:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2A Max 63W (45W for Type-C & 18W for Type-A)	1 QTY Type-C Female (Power Delivery) & 1 QTY Type-A Female (QC 3.0), USB-A: Any 5V, 9V or 12V device with a current requirement of 18W or less. Includes support for Qualcomm Quick Charge 2.0 devices and Apple iOS 2.1A and 2.4A.	USB-C: Devices supporting USB 3.1 Power Delivery 3.0 up to 20V/2A.
RAM-GDS-CHARGE-V3CAU	GDS® Hardwire Charger with USB Type C Male Connector and USB Type A Port	12V - 24V DC	5V- 15VDC 3A Max	Male Type-C with Female Type-A	Supports any USB-C Device that uses the USB 3.1 PD2.0 standard or higher, with max power up to 36W (5V/3A, 9V/3A, 12V/3A, 15V/2.5A)



CONTACT US

sales@rammount.com

1-800-497-7479

JOIN OUR COMMUNITY



The distinctive "D" product shape of the GDS® connector is a trademark of National Products Inc.



The distinctive RAM® "X-Grip" product shape is a trademark of National Products Inc.



Look for distinctive GDS® Green™

GDS®, IntelliSkin®, GDS® Tech™, GDS® Technology™, GDS® View™, GDS® Green™, GDS® Compatible™, GDS® Hub™, GDS® Charge™, GDS® Key™, GDS® Audio™, GDS® Ergo™ and GDS® Ecosystem™ are trademarks or registered trademarks of National Products Inc.