



RAM[®] MOUNTS

Material Handling



About RAM® Mounts


RAM® Mounts manufactures rugged and versatile mounting systems for cameras, tablets and other mobile devices that can be attached nearly anywhere. Unlike other mounts on the market, RAM® allows you to mount items where you need them most. The unique design of the RAM® Mounts system provides quick installation, adjustability, strength, vibration dampening and durability—all at a low cost. Backed by a lifetime warranty, RAM® uses powder-coated marine-grade aluminum with lightweight and high-strength composites, stainless steel hardware and rubber balls.

The RAM® Difference




Premium Design

The rubber ball and socket design of our mounting systems offers a secure hold, with near-infinite adjustability and vibration dampening for the most demanding environments. With thousands of components trusted by users around the world, we've been able to design and develop mounting solutions that consumers and companies previously only dreamed were possible.



Customizable

Take your phone mount from your truck to your boat, or mix and match components to create your ideal mount. Because of the modularity of the RAM® system, you can customize your solution to fit your specific needs in almost any application.



Quality Materials

A premium design deserves the highest quality materials available, from rubber and stainless steel to high-strength composites and marine-grade aluminum. Our facilities—including powder coating, die casting, rubber injection molding, and shock and vibration testing—help us deliver on this promise to bring you inventive mounting solutions.



Lifetime Warranty

It's simple. Our reputation as the leader of premier mounting systems means if we build it, then we guarantee it. We're confident in the quality of our products, and with our warranty, you can be too. Learn more [[link: rammount.com/warranty](http://rammount.com/warranty)] about our lifetime warranty.

Partner With RAM® Mounts

Here at RAM® Mounts, we believe that unfathomable things are possible with ingenuity. With a portfolio of over 5,000 SKUs paired with innovative engineers and in-house product experts, we have the tools and expertise needed to create solutions that you didn't know were possible. We have the ability to solve your mounting challenges quickly, efficiently and cost effectively.

No matter your company's size, you can trust RAM® Mounts to deliver ingenious solutions that do exactly what you need them to do.





Table of Contents

5 Popular Mounting Locations

7 How It Works

9 Bases

19 Arms

21 Device Adapters

25 Holders

35 Swing Arm Post Clamps

39 Accessories

45 IntelliSkin® With GDS®


57 Think Outside the Warehouse

59 Partner Highlight

63 Drawings

65 Compatibility Guide

69 The Shape that Started It All



RAM® double socket arms with their distinctive Hourglass Shape are recognized globally as a symbol of the reliability, quality and durability of this line of products. The Hourglass Shape is a registered trademark of National Products Inc.

Popular Mounting Locations

Using RAM® Mounts, there are a wide range of mounting solutions and locations for forklifts and other equipment in any material handling setting. The guide below will help you find compatible mounting systems for overhead guards, square posts and any location appropriate for mounting a drill-down base.



Popular Mounting Locations

1



Overhead Guard Plates, pg. 10
Socket Arm, pg. 20
Device Adapter, pg. 22

2



Overhead Guard Plates, pg. 10
Socket Arm, pg. 20
Device Adapter, pg. 23

3



Square Post Clamp, pg. 12
Socket Arm, pg. 20
Device Adapter, pg. 22
IntelliSkin® with GDS® Dock, pg. 48

4



Square Post Clamp, pg. 12
Socket Arm, pg. 20
Device Adapter, pg. 22
Scanner Gun Holder, pg. 26

5



Square Post Clamp, pg. 12
Socket Arm, pg. 20
RAM® X-Grip®, pg. 30

6



Drill-Down Base, pg. 16
Socket Arm, pg. 20
Device Adapter, pg. 22
Printer Cradle, pg. 31

How It Works

1

Choose a Base

Select from a variety of bases to help secure your device where you need it.

2


Choose an Arm

Select an arm based on your desired length and placement.

3

Choose an Adapter

RAM® offers a wide selection of adapters and cradles for your specific device.



Modular Solutions for Every Use

Slip Resistant

The marine-grade aluminum or composite arm provides a strong hold that reduces slip on the rubber ball

Guaranteed

RAM® Mounts offers a lifetime warranty on all mounting hardware

Vibration Dampening

The rubber ball absorbs the impact of the rough waves, providing shock and vibration dampening

Adjustable

With nearly 360 degrees of articulation, each product may be adjusted to any angle with the turn of a single knob

How It Works

Ball Size Selection Guide

Each ball size in the RAM® Mounts rubber ball and socket system supports a different amount of weight and withstands increasingly intense vibration. Use the examples below to determine the ideal size for your system based on your device weight and application.



B Size

- 1" diameter ball
- Holds up to 2 lbs
- Ideal for cup holders, cameras, phones and other lightweight devices



C Size

- 1.5" diameter ball
- Holds up to 5 lbs
- Ideal for tablets, 2D barcode scanners and lightweight laptops



D Size

- 2.25" diameter ball
- Holds up to 10 lbs
- Ideal for vehicle-mounted computers and rugged laptops in moderate vibration environments



E Size

- 3.38" diameter ball
- Holds up to 25 lbs
- Ideal for vehicle-mounted computers and rugged laptops in extreme vibration environments

Bases



Seen in this photo:
RAM-335-D-246, Overhead Guard Plate with 2.25" Ball
RAM-D-201U-C, Short Socket Arm for 2.25" Ball
RAM-D-254U, AMPS Device Adapter with 2.25" Ball (shown with Honeywell Thor VM3)

Bases

Overhead Guard Plates

Utilize two identical stamped steel plates that fasten to most lift cages and overhead guards to mount computers, printers, scanners and tablets. This rugged mount allows for the attachment of bases with a variety of RAM® Mounts ball sizes. The plates include both the VESA and AMPS hole patterns. Multiple ball bases can be attached to the same plate, helping to keep all your devices in one convenient location.



| Part Number | Ball Size |
|---------------|-----------|
| RAM-335 | No Ball |
| RAM-335-246 | 1.5" (C) |
| RAM-335-D-246 | 2.25" (D) |
| RAM-335-E-346 | 3.38" (E) |



Seen in this photo:
RAM-335-D-246, Overhead Guard Plate with 2.25" Ball
RAM-D-201U-C, Short Socket Arm for 2.25" Ball
RAM-D-254U, AMPS Device Adapter with 2.25" Ball (shown with Honeywell Thor VM3)
RAM-101U, Drill-Down Mount with 1.5" Ball
RAP-396U, RAM® Power-Grip™ Scanner Gun Holder (shown with Honeywell Granit Series Scanner)

Bases



Seen in this photo:

RAM-247U-25, Square Post Clamp with 1.5" Ball

RAM-201U, Standard Socket Arm for 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball

RAM-GDS-DOCKL-V2-SAM23U, Locking GDS® Vehicle Dock for the Samsung Tab A 10.1 with S Pen

RAM-GDS-SKIN-SAM26, IntelliSkin® for the Samsung Tab A 10.1 with S Pen (shown with tablet)

Bases

Square Post Clamp

This base allows you to attach any size RAM® Mounts ball to the overhead guard leg or overhead guard. Measure your post and compare with the chart below to determine the appropriate clamp.




RAM-247U-4



RAM-D-247U-25



RAM-D-247U-4



| Part Number | Ball Size | Max. Post Width | Max. Post Depth |
|---------------|-----------|-----------------|-----------------|
| RAM-B-247U-15 | 1" (B) | 1.5" | 2.125" |
| RAM-B-247U-17 | 1" (B) | 1.75" | 2.125" |
| RAM-B-247U-2 | 1" (B) | 2" | 1.875" |
| RAM-B-247U-25 | 1" (B) | 2.5" | 2.125" |
| RAM-B-247U-3 | 1" (B) | 3" | 1.875" |
| RAM-B-247U-4 | 1" (B) | 4" | 2.125" |
| RAM-247U-15 | 1.5" (C) | 1.5" | 2.125" |
| RAM-247U-17 | 1.5" (C) | 1.75" | 2.125" |
| RAM-247U-2 | 1.5" (C) | 2" | 1.875" |
| RAM-247U-25 | 1.5" (C) | 2.5" | 2" |
| RAM-247U-3 | 1.5" (C) | 3" | 1.875" |
| RAM-247U-4 | 1.5" (C) | 4" | 1.75" |
| RAM-247U-5 | 1.5" (C) | 5" | 1.625" |
| RAM-D-247U-15 | 1.5" (C) | 1.5" | 2.125" |
| RAM-D-247U-17 | 2.25" (D) | 1.75" | 2.125" |
| RAM-D-247U-2 | 2.25" (D) | 2" | 1.875" |
| RAM-D-247U-25 | 2.25" (D) | 2.5" | 1.875" |
| RAM-D-247U-3 | 2.25" (D) | 3" | 1.875" |
| RAM-D-247U-4 | 2.25" (D) | 4" | 1.75" |
| RAM-D-247U-5 | 2.25" (D) | 5" | 1.625" |
| RAM-E-247U-25 | 3.38" (E) | 2.5" | 1.75" |

Square Post Clamp - No Hardware

The no hardware configuration of the square post clamp enables you to customize the mount to a variety of post thicknesses and use cases. Select a base that fits one side of your post and use your own 5/16" diameter hardware to attach the plates together. You can also mount this version of the square post clamp into walls or other flat surfaces to provide modular mounts throughout the yard and warehouse.



RAM-247U-25NH

| Part Number | Ball Size | Max Post Width |
|----------------|-----------|----------------|
| RAM-B-247U-2NH | 1" (B) | 2" |
| RAM-B-247U-3NH | 1" (B) | 3" |
| RAM-247U-25NH | 1.5" (C) | 2.5" |
| RAM-247U-4NH | 1.5" (C) | 4" |
| RAM-247U-5NH | 1.5" (C) | 5" |

Bases

Round Post Clamp

Secure your mount to any round post and ensure that your tablet, inventory management device or scanner is at the ready. With two clamp and ball sizes, this mounting solution fits most round overhead guard legs and holds a variety of device weights.

| Part Number | Ball Size | Fits Posts |
|---------------|-----------|-------------------------|
| RAM-271U-12 | 1.5" (C) | 1.25" - 1.785" diameter |
| RAM-271U-2 | 1.5" (C) | 2" - 2.5" diameter |
| RAM-D-271U-12 | 2.25" (D) | 1.25" - 1.785" diameter |
| RAM-D-271U-2 | 2.25" (D) | 2" - 2.5" diameter |



RAM-271U-12
Suitable for cart applications



RAM-D-271U-2
Suitable for Crown's work assist



- Seen in this photo:
- RAM-D-271U-2, Round Post Clamp with 2.25" Ball
 - RAM-D-201U, Standard Double Socket Arm for 2.25" Ball
 - RAM-D-202U, Device Adapter with 2.25" Ball (shown with Honeywell Thor CV31)
 - RAM-202U-IN10, Keyboard Adapter Plate
 - RAM-202U, AMPS Device Adapter with 1.5" Ball
 - RAM-201U-B, Short Double Socket Arm for 1.5" Ball

Bases

RAM® Torque™

The RAM® Mounts Torque™ base is a low-profile attachment for posts and tubing. Sizing inserts are included to provide a snug fit and protection of the post. The mount utilizes nylon-insert locknuts to prevent loosening in high vibration environments.



RAM-B-415-15-2U
1" (B) ball



RAM-B-337-1U
1" (B) ball

U-Bolt

The U-Bolt mount offers a secure, low-profile mounting solution that is a perfect fit in tight spaces such as on posts with low clearance. With the option of three ball diameters and double U-Bolt configurations for rough environments, there is a U-Bolt for every use case.



RAM-231-1U



RAM-D-235U

| Part Number | Ball Size | U-Bolt Type | Fits Posts |
|--------------|-----------|-------------------------|-----------------------|
| RAM-B-231ZU | 1" (B) | Single, zinc | .5" - 1.25" diameter |
| RAM-231ZU | 1.5" (C) | Single, zinc | .5" - 1.25" diameter |
| RAM-B-231-1U | 1" (B) | Single, stainless steel | 1" - 1.25" diameter |
| RAM-231-1U | 1.5" (C) | Single, stainless steel | 1" - 1.25" diameter |
| RAM-B-235U | 1" (B) | Double, stainless steel | .75" - 1.25" diameter |
| RAM-235U | 1.5" (C) | Double, stainless steel | .75" - 1.25" diameter |
| RAM-D-235U | 2.25" (D) | Double, stainless steel | .75" - 1.25" diameter |
| RAM-235-1U | 1.5" (C) | Double, steel | 1.25" - 1.5" diameter |
| RAM-D-235-1U | 2.25" (D) | Double, steel | 1.25" - 1.5" diameter |

Bases



Seen in this photo:

RAM-202U, Drill-Down Base with 1.5" Ball

RAM-201U-D, Long Socket Arm for 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball

RAM-HOL-TABL20U, RAM® Tab-Lock™ Holder (shown with iPad Air 2 with LifeProof case)

Bases

Drill-Down

RAM® Mounts offers versatile bases in several sizes and shapes that can be drilled-down to a variety of any flat surface. Each base includes mounting holes, such as the AMPS and VESA hole patterns, for a variety of mounting options.

| Part Number | Ball Size | Drawing Reference (See Page 63) |
|-----------------|-----------|---------------------------------|
| RAM-B-202U | 1" (B) | Drawing 2 |
| RAM-202U-IN1* | 1.5" (C) | Drawing 2 |
| RAM-2461U-IN1* | 1.5" (C) | Drawing 7 |
| RAM-246U | 1.5" (C) | Drawing 8 |
| RAM-D-202U-IN1* | 2.25" (D) | Drawing 4 |
| RAM-D-2461U | 2.25" (D) | Drawing 7 |
| RAM-D-246U-IN1* | 2.25" (D) | Drawing 8 |
| RAM-E-202U-IN1* | 3.38" (E) | Drawing 4 |
| RAM-E-246U-IN1* | 3.38" (E) | Drawing 8 |

*steel reinforced post



Seen in this photo:
 RAM-202U, Drill-Down Base with 1.5" Ball
 RAM-201U, Standard Socket Arm for 1.5" Ball
 RAM-202U, AMPS Device Adapter with 1.5" Ball
 RAM-HOL-UN9U, RAM® X-Grip® Tablet Holder (shown with iPad Air 2 in LifeProof case)


Bases

RAM® Tough-Claw™

The RAM® Tough-Claw™ is the perfect mounting base for easy installation and removal without tools on round, square and odd shaped posts and bars. The RAM® Tough-Claw™ can be clamped to posts from .625" to 2.25" in diameter. Ideal for mounting tablets, scanners, radios and more, the RAM® Tough-Claw™ is a trusted and versatile mounting solution.

| Part Number | Ball Size | Fits Posts |
|--------------|-----------|-----------------------|
| RAP-B-400U | 1" (B) | .625" - 1.5" diameter |
| RAP-B-404U | 1" (B) | 1" - 1.875" diameter |
| RAP-B-401U | 1" (B) | 1" - 2.25" diameter |
| RAP-B-401LU* | 1" (B) | 1" - 2.25" diameter |
| RAP-400U | 1.5" (C) | .625" - 1.5" diameter |
| RAP-404U | 1.5" (C) | 1" - 1.875" diameter |
| RAP-401U | 1.5" (C) | 1" - 2.25" diameter |
| RAP-401LU* | 1.5" (C) | 1" - 2.25" diameter |

* = Locking Feature



Strap Hose Clamp

The strap hose clamp features a metal strap that provides a firm hold on round posts. Wrap the strap around the post and base, then tighten the worm-drive clamp with a screwdriver until secure. The rubber strip included with the base protects the post from damage.



Bases

RAM® Twist-Lock™ Suction Cups

RAM® Mounts offers a variety of suction cup mounts that are designed to keep your devices and equipment secure with a flexible mounting option for both glass and non-porous surfaces. The mechanical RAM® Twist-Lock™ seal of the suction cup latches onto flat surfaces with a strong hold.



RAM-B-224-1U
Single Suction Cup
1" (B) ball



RAM-B-189B-202U
Double Suction Cup
1" (B) ball



RAM-224-3U
Triple Suction Cup
1.5" (C) ball

RAM® Tough-Mag™

Ideal for mounting to a metal surface, the RAM® Tough-Mag™ is available in two different sizes with a RAM® ball screwed into a 1/4-20" threaded post. The 66mm version includes a B size ball while the 88mm version includes your choice of a B or C size ball. Each base features industrial-strength N35 grade magnets and rubber coating to protect the mounting surface.

Please note: weight limits are for static environments only.



RAM-B-MAG66U
66MM Diameter Base with 1" (B) Ball
Max Weight 2lbs



RAM-B-MAG88U
88MM Diameter Base with 1" (B) Ball
Max Weight 4 lbs



RAM-B-MAG88U
88MM Diameter Base with 1.5" (C) Ball
Max Weight 4 lbs

Arms



Seen in this photo:
RAM-247U-25, Square Post Clamp with 1.5" Ball
RAM-201U, Standard Socket Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-GDS-DOCKL-V2-AP8U, Locking GDS® Vehicle Dock for the Apple iPad Pro 9.7
RAM-GDS-SKIN-AP12, IntelliSkin® for the Apple iPad Pro 9.7 (shown with tablet)

Arms

Arm Sizes

RAM® Mounts feature a double ball and socket system, providing modularity and adjustability. A RAM® arm is the connection between the mounting base and your device, and are available in multiple sizes and lengths.



| B Size 1" | | |
|--------------|----------------|------------------|
| Part Number | Overall Length | Socket to Socket |
| RAM-B-201U-A | 2.42" | 1.75" |
| RAM-B-201U | 3.73" | 3.00" |
| RAM-B-201U-C | 6.00" | 5.31" |

| C Size 1.5" | | |
|-------------|----------------|------------------|
| Part Number | Overall Length | Socket to Socket |
| RAM-201U-B | 3.56" | 2.50" |
| RAM-201U | 5.69" | 4.66" |
| RAM-201U-D | 9.13" | 8.00" |

| D Size 2.25" | | |
|--------------|----------------|------------------|
| Part Number | Overall Length | Socket to Socket |
| RAM-D-201U-C | 5.10" | 3.60" |
| RAM-D-201U | 8.44" | 6.88" |
| RAM-D-201U-E | 12.98" | 11.41" |

| E Size 3.38" | | |
|--------------|----------------|------------------|
| Part Number | Overall Length | Socket to Socket |
| RAM-E-201U-D | 7.25" | 4.375" |
| RAM-E-201U | 12.625" | 9.875" |

Device Adapters



Seen in this photo:

RAM-247U-25, Square Post Clamp with 1.5" Ball

RAM-201U, Standard Socket Arm for 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball (shown with AML Guardian)

Device Adapters

AMPS Adapters

Adapters featuring the AMPS hole pattern provide secure mounting solutions for a wide range of devices and use cases. Available in a variety of ball sizes ranging from B size (1") to D size (2.25").

| Part Number | Ball Size | Drawing Reference (See Page 63) |
|---------------|-----------|------------------------------------|
| RAM-B-238U | 1" (B) | Drawing 1 |
| RAM-B-202U | 1" (B) | Drawing 2 |
| RAM-238U | 1.5" (B) | Drawing 1 |
| RAM-202U | 1.5" (B) | Drawing 2 |
| RAM-202U-IN1* | 1.5" (B) | Drawing 2 |
| RAM-D-254U | 2.25" (D) | Drawing 3 |

*steel reinforced post



Seen in this photo:

RAM-247U-25, Square Post Clamp with 1.5" Ball

RAM-201U, Standard Socket Arm for 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball

RAP-396U, RAM® Power-Grip™ Scanner Gun Holder (shown with Honeywell Granit Series Scanner)

Device Adapters

VESA Adapters

These adapters are connected to a RAM® Mounts ball for mounting devices and equipment featuring the VESA hole pattern, and are available in a variety of ball sizes ranging from C size (1.5") to E size (3.38").

| Part Number | Ball Size | VESA Pattern | Drawing Reference (See Page 63) |
|-----------------|-----------|--------------|---------------------------------|
| RAM-2462U | 1.5" (C) | 35mm x 75mm | Drawing 6 |
| RAM-2461U | 1.5" (C) | 75mm | Drawing 7 |
| RAM-2461U-IN1* | 1.5" (C) | 75mm | Drawing 7 |
| RAM-246U | 1.5" (C) | 100mm | Drawing 8 |
| RAM-D-2462U | 2.25" (D) | 35mm x 75mm | Drawing 6 |
| RAM-D-2461U | 2.25" (D) | 75mm | Drawing 7 |
| RAM-D-246U-IN1* | 2.25" (D) | 100mm | Drawing 8 |
| RAM-D-246U | 2.25" (D) | 100mm | Drawing 8 |
| RAM-E-246U | 3.38" (E) | 100mm | Drawing 8 |
| RAM-E-246U-IN1* | 3.38" (E) | 100mm | Drawing 8 |

*steel reinforced post



Seen in this photo:
 RAM-202-CRO1, Crown Work Assist Adapter with 1.5" Ball
 RAM-201U, Standard Socket Arm for 1.5" Ball
 RAM-2461U, VESA Device Adapter with 1.5" Ball (shown with Advantech TREK-773)


Device Adapters

Other Adapters

When your equipment or device doesn't utilize the AMPS or VESA hole patterns, turn to these plates with a variety of pre-drilled hole patterns. Available in ball sizes ranging from C size (1.5") to E size (3.38").

| Part Number | Ball Size | Plate Dimensions | Drawing Reference (See Pages 63-64) |
|------------------|-----------|------------------|--|
| RAM-202U-22 | 1.5" (C) | 2" x 2" | Drawing 9 |
| RAM-202U-23 | 1.5" (C) | 2" x 3" | Drawing 10 |
| RAM-202U-24 | 1.5" (C) | 2" x 4" | Drawing 11 |
| RAM-202U-25 | 1.5" (C) | 2" x 5" | Drawing 12 |
| RAM-111BU | 1.5" (C) | 2" x 6.25" | Drawing 13 |
| RAM-137BU | 1.5" (C) | 3" x 11" | Drawing 14 |
| RAM-D-202U | 2.25" (D) | 2.68" diameter | Drawing 4 |
| RAM-D-202U-IN1* | 2.25" (D) | 2.68" diameter | Drawing 4 |
| RAM-D-202U-SYM1* | 2.25" (D) | 2.68" diameter | Drawing 5 |
| RAM-D-202U-22 | 2.25" (D) | 2" x 2" | Drawing 9 |
| RAM-D-202U-23 | 2.25" (D) | 2" x 3" | Drawing 10 |
| RAM-D-202U-24 | 2.25" (D) | 2" x 4" | Drawing 11 |
| RAM-D-202U-25 | 2.25" (D) | 2" x 5" | Drawing 12 |
| RAM-D-111B-IN1U* | 2.25" (D) | 3" x 11" | Drawing 14 |
| RAM-E-202U | 3.38" (E) | 2.68" diameter | Drawing 4 |
| RAM-E-202U-IN1* | 3.38" (E) | 2.68" diameter | Drawing 4 |
| RAM-E-202U-SYM1* | 3.38" (E) | 2.68" diameter | Drawing 5 |

*steel reinforced post



RAM-111BU



RAM-D-202U-SYM1



Seen in this photo:
 RAM-335-D-246, Overhead Guard Plate with 2.25" Ball
 RAM-D-201U-C, Short Socket Arm for 2.25" Ball
 RAM-D-202U-23, Device Adapter with 2.25" Ball (shown with Zebra VC80)

Holders



Seen in this photo:

RAM-247U-25, Square Post Clamp with 1.5" Ball

RAM-201U, Standard Socket Arm for 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball

RAP-396U, RAM® Power-Grip™ Scanner Gun Holder (shown with Honeywell Granit Series Scanner)

Holders

RAM® Power-Grip™ Scanner Gun Holder

Keep your scanner guns in an ergonomic and user-friendly location with this rugged holder. The open bottom design of the RAM® Power-Grip™ enables scanning while in the holder and replaceable elastomeric fins grip the handle of the scanner for a secure hold.

| Part Number | Internal Width | Internal Length | Internal Depth | Compatible Ball |
|-------------|----------------|-----------------|----------------|------------------------|
| RAP-396U | 3.47" | 2.16" | 4.9" | RAM-202U |
| RAP-450U | 3.96" | 2.66" | 7.43" | RAM-202U RAM-D-254U |



RAP-396U

RAM® Drop-N-Lock™ Scanner Gun Holder

The RAM® Drop-N-Lock™ cradle is designed to hold most types of pistol grip mobile computer with scanning capabilities. The spring-loaded lever on the side of the cradle securely holds the scanner in the cradle. Simply drop the scanner handle into the holder and it locks into place.

| Part Number | Internal Width | Internal Length | Internal Depth | Compatible Ball |
|-------------|----------------|-----------------|----------------|-----------------|
| RAP-317U | 1.46" | 2.5" | 5.11" | RAM-202U |



RAP-317U

Holders

RAM® Tab-Lock™

The RAM® Tab-Lock™ tablet holder includes a spring-loaded back plate, interchangeable end cups and a keyed locking mechanism. End cups are designed to optimize the functionality of your tablet, allowing access to audio jacks, USB, power and other ports. Quickly lock the holder to keep your tablet safe from theft. Available for a variety of devices.



Seen in this photo:
RAM-247U-25, Square Post Clamp with 1.5" Ball
RAM-201U, Standard Socket Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-HOL-TABL20U, RAM® Tab-Lock™ Holder (shown with iPad 9.7 with LifeProof Case)

Holders

RAM® Tab-Lock™

Device Compatibility

| Device | Part Number |
|--------------------------------------|------------------|
| Amazon Kindle Fire | RAM-HOL-TABL2U |
| Apple iPad 1-4 | RAM-HOL-TABL3U |
| Apple iPad 1-4 with Case | RAM-HOL-TABL17U |
| Apple iPad 4 | RAM-HOL-TABDL14U |
| Apple iPad Air | RAM-HOL-TABL6U |
| Apple iPad Air 2 | RAM-HOL-TABL6U |
| Apple iPad mini 1-3 | RAM-HOL-TABL11U |
| Apple iPad mini 1-4 with Case | RAM-HOL-TABL12U |
| Apple iPad Pro 9.7 | RAM-HOL-TABL6U |
| Apple iPad Air with Case | RAM-HOL-TABL20U |
| Apple iPad Air 2 with Case | RAM-HOL-TABL20U |
| Apple iPad Pro 9.7 with Case | RAM-HOL-TABL20U |
| Google Nexus 7 | RAM-HOL-TABL18U |
| Google Nexus 7 with Case | RAM-HOL-TABL16U |
| Google Nexus 9 | RAM-HOL-TABL6U |
| HP TouchPad | RAM-HOL-TABL3U |
| Microsoft Surface Pro 4 | RAM-HOL-TABL10U |
| Panasonic Toughpad FZ-A1 | RAM-HOL-TABL9U |
| Panasonic Toughpad FZ-G1 | RAM-HOL-TABL19U |
| Samsung Galaxy Tab 4 7.0 | RAM-HOL-TABL22U |
| Samsung Galaxy Tab 4 7.0 with Case | RAM-HOL-TABL21U |
| Samsung Galaxy Tab 4 8.0 | RAM-HOL-TABL24U |
| Samsung Galaxy Tab 4 8.0 with Case | RAM-HOL-TABL23U |
| Samsung Galaxy Tab 4 10.1 | RAM-HOL-TABL26U |
| Samsung Galaxy Tab 4 10.1 with Case | RAM-HOL-TABL25U |
| Samsung Galaxy Tab A 8.0 | RAM-HOL-TABL27U |
| Samsung Galaxy Tab A 8.0 with Case | RAM-HOL-TABL29U |
| Samsung Galaxy Tab A 9.7 with Case | RAM-HOL-TABL20U |
| Samsung Galaxy Tab A 10.1 with S Pen | RAM-HOL-TABL28U |
| Samsung Galaxy Tab E 8.0 | RAM-HOL-TABL24U |
| Samsung Galaxy Tab E 8.0 with Case | RAM-HOL-TABL23U |
| Samsung Galaxy Tab E 9.6 | RAM-HOL-TABL31U |
| Samsung Galaxy Tab S 8.4 | RAM-HOL-TABL24U |
| Samsung Galaxy Tab S 8.4 with Case | RAM-HOL-TABL23U |
| Samsung Galaxy Tab S 10.5 | RAM-HOL-TABL26U |
| Samsung Galaxy Tab S 10.5 with Case | RAM-HOL-TABL25U |
| Samsung Galaxy Tab S2 8.0 | RAM-HOL-TABL30U |
| Samsung Galaxy Tab S2 8.0 with Case | RAM-HOL-TABL29U |
| Samsung Galaxy Tab S2 9.7 with Case | RAM-HOL-TABL20U |
| Samsung Galaxy Tab S3 9.7 | RAM-HOL-TABL28U |

Universal Compatibility

| Device | Part Number |
|----------------------------|--|
| 7" Tablets | RAM-HOL-TABL16U RAM-HOL-TABL18U RAM-HOL-TABL22U |
| 7" Tablets with case | RAM-HOL-TABL21U |
| 7" - 8" Tablets | RAM-HOL-TABL-SM2U RAM-HOL-TABL2U |
| 7" - 9" Tablets with case | RAM-HOL-TABL4U RAM-HOL-TABL12U |
| 8" Tablets | RAM-HOL-TABL24U RAM-HOL-TABL27U RAM-HOL-TABL30U |
| 8" Tablets with case | RAM-HOL-TABL23U RAM-HOL-TABL29U |
| 9" - 10" Tablets with case | RAM-HOL-TABL10U |
| 10" Tablets | RAM-HOL-TABL-LGU RAM-HOL-TABL3U RAM-HOL-TABL6U RAM-HOL-TABL26U RAM-HOL-TABL28U |
| 10" Tablets with case | RAM-HOL-TABL8U RAM-HOL-TABL9U RAM-HOL-TABL17U RAM-HOL-TABL19U RAM-HOL-TABL20U RAM-HOL-TABL25U |

Compatible Ball Adapters



For the most up to date device listings, visit rammount.com/tablet for more tablet holder compatibility.

Holders

RAM® X-Grip®



Seen in this photo:
RAP-400U, Small RAM® Tough-Claw™ with 1.5" Ball
RAM-201U, Standard Socket Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-HOL-UN9U, RAM® X-Grip® Holder for 10" Tablets (shown with iPad Air 2 with LifeProof case)

Holders

RAM® X-Grip®

The RAM® X-Grip® keeps your phone or tablet secure and accessible and is compatible with a wide range of RAM® Mounts bases. The unique design of the RAM® X-Grip® means it can support almost any size phone or tablet with or without a case or sleeve, and the end caps may be removable when using a tablet.



- RAM-HOL-UN7BU
- Fits phones up to 3.25" wide
 - 1" Ball (B)

- RAM-HOL-UN10BU
- Fits phones up to 4.5" wide
 - 1" Ball (B)

- RAM-HOL-UN8B
- For 7" - 8" tablets
 - 1" Ball (B)



- RAM-HOL-UN9U
- For 9" - 10" tablets
 - Compatible with RAM-202U ball adapter



- RAM-HOL-UN11U
- For 11" - 12" tablets
 - Compatible with RAM-202U ball adapter

Holders

Rugged Handheld Holders

Easy to insert and remove from the spring-loaded cradle, your handheld device can be kept safe, secure and at the ready with these form-fitting holders. Ensuring your device remains functional, these holders integrate USB, power and serial ports.



RAM-HOL-ZE6U

| Part Number | Fits | Dock Type | Ports | Compatible Ball |
|---|--|-------------|------------------------------|-----------------|
| RAM-HOL-IN19PBU | Intermec (Honeywell) CN50 and CN51 | Powered | USB Type A, Musb, DB9 Serial | RAM-202U |
| RAM-HOL-IN19U | Intermec (Honeywell) CN50 and CN51 | Non-Powered | N/A | RAM-202U |
| RAM-HOL-SYM3PU | Motorola MC5574, MC5590, MC55A0, MC65 & MC67 | Powered | USB Type A, Musb, DB9 Serial | RAM-202U |
| RAM-HOL-SYM3PECU | Motorola MC5574, MC5590, MC55A0, MC65 & MC67 | Powered | USB Type A, Musb, DB9 Serial | RAM-202U |
| RAM-HOL-SYM3U | Motorola MC5574, MC5590, MC55A0, MC65 & MC67 | Non-Powered | N/A | RAM-202U |
| RAM-HOL-ZE6U | Zebra TC51, 52, 56 & 57 | Powered | USB Type A Male | RAM-B-238U |
| RAM-HOL-ZE7U RAM-HOL-ZE7LU RAM-HOL-ZE7CLU | Zebra TC70, TC72, TC75 & TC77 | Powered | 5.5mm DC | RAM-B-238U |
| RAM-HOL-PAN11U | Panasonic FZ-N1 | Powered | 5.5mm DC | RAM-B-238U |
| RAM-HOL-PAN14U | Panasonic FZ-T1 | Non-Powered | N/A | RAM-B-238U |

Printer Cradles

These form-fitting and spring-loaded printer cradles secure a variety of dynamic printers and scanners, with multiple mounting options available to accommodate a wide variety of configurations.

| Part Number | Fits | Clamping Width | Height | Compatible Ball |
|-------------|--|----------------|------------|------------------------|
| RAM-VPR-101 | Brother PocketJet Series | N/A | N/A | RAM-B-202U RAM-202U |
| RAM-VPR-102 | Canon BJC-85, Canon i80, Canon i90, Canon iP100 | 8" - 14.5" | Max 1.75" | RAM-B-202U RAM-202U |
| RAM-VPR-103 | HP DeskJet 450, HP DeskJet 460, HP DeskJet 470, HP OfficeJet 100 | 9" - 15.5" | Max 2.5" | RAM-B-202U RAM-202U |
| RAM-VPR-104 | Fujitsu FP-1000 | 5.625" - 9.5" | Max 1.175" | RAM-B-202U RAM-202U |
| RAM-VPR-105 | Printronic M4L | 6.625" - 10.5" | Max 2.5" | RAM-B-202U RAM-202U |
| RAM-VPR-106 | Brother Rugged RJ-4030, Brother Rugged RJ-4040 | N/A | N/A | RAM-B-202U RAM-202U |
| RAM-VPR-107 | Citizen CMP-30/40, Zebra QLN420, Brother RJ-3 Series, Honeywell PB 50/51 | N/A | N/A | RAM-B-202U RAM-202U |



RAM-VPR-101



RAM-VPR-104

Holders

Form-Fit Cradles - Samsung Tab Active Product Line

RAM® Mounts has partnered with Samsung to develop three powered vehicle cradles for the Tab Active2 and Tab Active 8.0, including non-locking, combination lock and keyed lock versions. These cradles both charge and protect the tablet while allowing users to easily and efficiently switch between portrait and landscape modes. All form-fit cradles are compatible with any AMPS device adapter.

| Part Number | Fits | Compatible Ball |
|--------------------------|---|----------------------|
| RAM-HOL-SAM7PCLU | Samsung Galaxy Tab Active 8.0 Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PCLU | Samsung Galaxy Tab Active 8.0 Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PAU* | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PA-HARU** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7P2-HARU** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PKL2-HARU** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PCL2-HARU** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7P2-CIGU*** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PKL2-CIGU*** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |
| RAM-HOL-SAM7PCL2-CIGU*** | Samsung Galaxy Tab Active2 | RAM-B-202 RAM-202 |

*Form-Fit Cradle with patented RAM® EZ-Roll™ design

** Include a GDS® modular hardwire charger, GDS® genuine USB 2.0 straight cable, 200mm cable with mUSB female connector for power, and 200mm cable with USB Type-A female connector

*** Include a GDS® 2-port USB cigarette charger, 200mm cable with mUSB female connector for power, and 200mm cable with USB Type-A female connector



RAM-HOL-SAM7PKLU
Keyed Lock




RAM-HOL-SAM7PU
Non-Locking RAM® EZ-Roll™



RAM-HOL-SAM7PCLU
Combination Lock

Holders

Universal Holders




Seen in this photo:
RAP-B-400U, RAM® Tough-Claw™ with 1" Ball
RAM-B-201U, Standard Socket Arm for 1" Ball
RAM-HOL-PD3-238AU, RAM® Quick-Grip™ Holder with 1" Ball (shown with Samsung Galaxy S6)

Holders

Universal Holders

These universal holders get the job done for a variety of devices. The RAM® Tough-Tray™ II is a spring-loaded tray for tablets and small laptops. Also featuring spring-loaded arms is the RAM® Quick-Grip™ for phones. Using the RAM® Finger-Grip™, secure handheld devices with adjustable rubber-coated fingers.

| Part Number | Product Line | Common Devices | Width | Height | Depth | Compatible Ball |
|--------------|---------------------|-------------------------|-----------------|---------------|----------|------------------------|
| RAM-234-6 | RAM® Tough-Tray™ II | Tablets & Small Laptops | 8.56" - 11.12" | Max 2.75" | 6" | RAM-B-202U RAM-202U |
| RAM-HOL-PD3U | RAM® Quick-Grip™ | Phones | 2.25" - 3.25" | 4.75" - 5.25" | Max .75" | RAM-B-238U RAM-238U |
| RAM-HOL-PD4U | RAM® Quick-Grip™ XL | Large Phones | 2.625" - 3.625" | 5.75" - 7.25" | Max .72" | RAM-B-238U RAM-238U |
| RAM-HOL-UN4U | RAM® Finger-Grip™ | Handheld Radios & GPS | 1.25" - 3.5" | Min 5.25" | Max 1.5" | RAM-B-238U RAM-238U |



RAM® Tough-Tray™ II
RAM-234-6



RAM® Quick-Grip™
RAM-HOL-PD3U



RAM® Finger-Grip™
RAM-HOL-UN4U

Swing Arm Post Clamps



Seen in this photo:

RAM-247U-4P1, Swing Arm Post Clamp Base

RAM-261-2U, Swing Arm Extension with Double Ball Adapter

RAM-201U-B, Short Socket Arm with 1.5" Ball

RAM-202U, AMPS Device Adapter with 1.5" Ball

RAM-GDS-DOCKL-V2-SAM23U, Locking GDS® Vehicle Dock for the Samsung Tab A 10.1 with S Pen

RAM-GDS-SKIN-SAM26, IntelliSkin® for the Samsung Tab A 10.1 with S Pen (shown with tablet)

RAM-201U, Standard Socket Arm with 1.5" Ball

RAM-202U, AMPS Keyboard Adapter with 1.5" Ball

Swing Arm Post Clamps

How It Works

1

Choose a Base

Select from a variety of bases to help secure your device where you need it.

2


Choose a Swing Arm (Optional)

Select from a variety of swing arms to twist and tilt the viewing angle of your laptop, tablet, UMPC, monitor or any other connected device.

3

Choose a Swing Arm With Ball/Socket Adapter

Select a swing arm with a ball/socket adapter for C size (1.5") and D size (2.25") balls, or even mount two devices by utilizing the swing arm with double ball adapter.



Swing Arm Post Clamps

For 1.5" (C) Ball & Socket Mounts

1 Choose a Base



RAM-247U-4P1

| Part Number | Max Post Width | Max Post Depth |
|--------------|----------------|----------------|
| RAM-247U-4P1 | 4" | 1.75" |

2 Choose a Swing Arm Extension



RAM-261-1U

| Part Number | Hole-to-Post Length |
|-------------|---------------------|
| RAM-261-1U | 6" |

3 Choose a Swing Arm With Ball/Socket Adapter



RAM-261U
For 1.5" (C) Ball Components



RAM-261-ADJU
Adjustable Arm For 1.5" (C) Ball Components



RAM-261-2U
For 1.5" (C) Socket Arms

Swing Arm Post Clamps

For 2.25" (D) Ball & Socket Mounts

1 Choose a Base



RAM-D-247U-4P1

2 Choose a Swing Arm Extension



RAM-D-261-1U

| Part Number | Hole-to-Post Length |
|--------------|---------------------|
| RAM-D-261-1U | 6" |

3 Choose a Swing Arm With Ball/Socket Adapter



RAM-D-261U
For 2.25" (D) Ball Components

Accessories



Seen in this photo:
RAM-D-202U-CRO1, Crown Work Assist Adapter with 2.25" Ball
RAM-D-201U-C, Short Socket Arm with 2.25" Ball
RAM-D-202U-23, Device Adapter with 2.25" Ball (shown with Zebra VC80)
RAM-KNOB9HU, RAM® Hi-Torq™ Wrench for 2.25" Ball

Accessories

RAM® Pin-Lock™ Security Knob and Key

Using a female threaded security knob and key knob, the mixed combination RAM® Pin-Lock™ Security Knob and Key can replace all knobs on B size (1") and C size (1.5") arms and mounts to prevent theft and tampering.



| Part Number | Fits |
|--------------|-----------------|
| RAP-S-KNOB3U | Any B Sized Arm |
| RAP-S-KNOB5U | Any C Sized Arm |

Keyed Locking Knob

The Keyed Locking Knob adds tamper and theft deterrence to your B size (1") and C size (1.5") ball mounts by replacing the standard knob. This is an ideal accessory to keep your mounted electronic devices safe and locked into position.



| Part Number | Fits |
|-------------|-----------------|
| RAM-KNOB3LU | Any B Sized Arm |
| RAM-KNOB5LU | Any C Sized Arm |

RAM® Hi-Torq™ Wrench

The RAM® Hi-Torq™ Wrench is used with the knob on D size (2.25") arms. This wrench provides the extra leverage needed to tighten the mount in cold weather or in small spaces. Tightening the knob with the wrench delivers security and vibration dampening.



| Part Number | Fits |
|-------------|-----------------|
| RAM-KNOB9HU | Any D Sized Arm |

Accessories



Seen in this photo:
RAM-335-D-246, Overhead Guard Plate with 2.25" Ball
RAM-D-201U-C, Short Socket Arm for 2.25" Ball
RAM-D-2461U, VESA Device Adapter with 2.25" Ball (shown with JLT VERSO)
RAM-SHOCK-75U, Shock Buster Adapter

Accessories

Shock Buster Adapter

This VESA hole pattern adapter absorbs shock and vibration for mounting systems in the most extreme environments. Featuring an integrated 40A durometer shock isolator, the Shock Buster fits between any 75mm VESA RAM® Mounts component and the device you're mounting.



RAM® Level Cup™ and RAM® Level Cup™ XL

The RAM® Level Cup™ and RAM® Level Cup™ XL feature two independent self-leveling hinge points that freely swivel, keeping beverages from spilling. The RAM® Level Cup™ XL integrates an adjustable height option for accommodating much larger drink sizes, such as 32 oz. tumblers and water bottles.



Accessories



Seen in this photo:
RAM-247U-4, Square Post Clamp with 1.5" Ball
RAM-201U, Standard Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-HOL-MP1U, RAM® Multi-Pad™ Organizer

Accessories

RAM® Multi-Pad™

Keep important documents securely in place and organized with this durable pad holder. Utilize the integrated magnets to hold the included metal pen in place. Compatible with any 3"-4" 3 ring binder notepad, the RAM® Multi-Pad™ utilizes multiple mounting points so it can be easily attached to any RAM® Mounts with the universal AMPS hole pattern.



RAM-HOL-MP1U

RAM® Handi-Case™

The RAM® Handi-Case™ keeps all of your paperwork, packing slips and other items organized anywhere you need it. Beyond being a writing surface, you get document storage, a tool holder, pen and pencil storage, and the durability to withstand any working environment. A variety of knockout hole patterns make it easy to mount, or secure the RAM® Handi-Case™ flush on any metal surface with additional magnets.



RAM-HC1U



Seen in this photo:
RAM-HC1U, RAM® Handi-Case™
RAM-HC1-MAGU, Additional Mounting Magnets

IntelliSkin® With GDS®



Seen in this photo:
RAM-247U-25, Square Post Clamp with 1.5" Ball
RAM-201U, Standard Socket Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-GDS-DOCKL-V2-AP7U, Locking GDS® Vehicle Dock for the Apple iPad mini 4
RAM-GDS-SKIN-AP7, IntelliSkin® for the Apple iPad mini 4 (shown with tablet)

IntelliSkin® With GDS®

The perfect charging and docking solution for almost any material handling environment, RAM® Mounts vehicle docks featuring GDS® Technology™ offer a universal platform for any device wrapped in a IntelliSkin® sleeve. IntelliSkin® offers drop protection and uses ruggedized external contacts to allow for repetitive docking, with no need to deal with charging cables.



RAM-GDS-DOCKL-V2-SAM21U

RAM-GDS-DOCK-V1U



The Distinctive D Shape™



Universal docking with the distinctive GDS® "D" product shape



IntelliSkin® With GDS®

Apple



Seen in this photo:
RAM-247U-25, Square Post Clamp with 1.5" Ball
RAM-201U, Standard Socket Arm for 1.5" Ball
RAM-202U, AMPS Device Adapter with 1.5" Ball
RAM-GDS-DOCKL-V2-AP8U, Locking GDS® Vehicle Dock for the Apple iPad 5th Gen
RAM-GDS-SKIN-AP15, IntelliSkin® for the Apple iPad 5th Gen (shown with tablet)

IntelliSkin® With GDS®



Apple

RAM® Mounts offers several GDS® solutions for the Apple iPad. Start by choosing a compatible IntelliSkin® and then choose a GDS® vehicle dock to keep your iPad charged, secured and accessible.

| Device | Intelliskin® | Locking Vehicle Dock | GDS® HandStand™ Compatible | Shoulder Strap Compatible | Compatible Ball |
|-------------------------------------|--------------------|------------------------|----------------------------|---------------------------|-----------------|
| Apple iPad mini 4 | RAM-GDS-SKIN-AP7 | RAM-GDS-DOCKL-V2-AP7U | • | • | RAM-202U |
| Apple iPad (5th & 6th Gen) | RAM-GDS-SKIN-AP15 | RAM-GDS-DOCKL-V2-AP8U | • | • | RAM-202U |
| Apple iPad Pro (10.5") & Air 3 | RAM-GDS-SKIN-AP16 | RAM-GDS-DOCKL-V2-AP16U | • | • | RAM-202U |
| Apple iPad Pro 12.9 (1st & 2nd Gen) | RAM-GDS-SKIN-AP11U | RAM-GDS-DOCKL-V2-AP11U | • | • | RAM-202U |
| Apple iPad Pro 11" | RAM-GDS-SKIN-AP23 | RAM-GDS-DOCKL-V2-AP23U | • | • | RAM-202U |
| Apple iPad Pro 12.9" | RAM-GDS-SKIN-AP24 | RAM-GDS-DOCKL-V2-AP24U | • | • | RAM-202U |
| Apple iPad mini 5 | RAM-GDS-SKIN-AP27 | RAM-GDS-DOCKL-V2-AP27U | • | • | RAM-202U |



IntelliSkin® With GDS®

Samsung



Seen in this photo:
RAM-GDS-SKIN-SAM27, IntelliSkin® for the Samsung Tab S3 9.7 (shown with tablet)

IntelliSkin® With GDS®

Samsung

If you depend on Samsung phones or tablets, RAM® Mounts has you covered with a wide variety of IntelliSkin®, vehicle docks and accessories. First, choose a compatible IntelliSkin® for your device and then choose a compatible vehicle dock and compatible accessories.



RAM-GDS-SKIN-SAM28

RAM-GDS-SKIN-SAM21

Phone

| Device | Intelliskin® | Vehicle Dock | Compatible Ball |
|------------------|---------------------|-------------------|-----------------|
| Galaxy S8 | RAM-GDS-SKIN-SAM28 | RAM-GDS-DOCK-V1U | RAM-B-238 |
| Galaxy J7 (2017) | RAM-GDS-SKIN-SAM32 | RAM-GDS-DOCK-V1U | RAM-B-238 |
| Galaxy S9 | RAM-GDS-SKIN-SAM39 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy Xcover 4 | RAM-GDS-SKIN-SKIN37 | RAM-GDS-DOCK-V1U | RAM-B-238 |
| Galaxy J3 (2018) | RAM-GDS-SKIN-SAM44 | RAM-GDS-DOCK-V1U | RAM-B-238 |
| Galaxy J7 (2018) | RAM-GDS-SKIN-SAM45 | RAM-GDS-DOCK-V1U | RAM-B-238 |
| Galaxy Note 9 | RAM-GDS-SKIN-SAM42 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy S10 | RAM-GDS-SKIN-SAM46 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy S10e | RAM-GDS-SKIN-SAM47 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy S10+ | RAM-GDS-SKIN-SAM48 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy Xcover 4s | RAM-GDS-SKIN-SAM51 | RAM-GDS-DOCK-V1CU | RAM-B-238 |
| Galaxy A20e | RAM-GDS-SKIN-SAM53 | RAM-GDS-DOCK-V1CU | RAM-B-238 |

Phone IntelliSkin® HD

| Device | Intelliskin® | Vehicle Dock | Compatible Ball |
|-----------|----------------------|-------------------|-----------------|
| Galaxy S9 | RAM-GDS-SKIN-SAM39HD | RAM-GDS-DOCK-V1CU | RAM-B-238 |

Tablet

| Device | Intelliskin® | Locking Vehicle Dock | GDS® HandStand™ Compatible | Shoulder Strap Compatible | Compatible Ball |
|---|---------------------|--|----------------------------|---------------------------|-----------------|
| Galaxy Tab S2 9.7 | RAM-GDS-SKIN-SAM19U | RAM-GDS-DOCKL-V2-SAM19U | • | • | RAM-202 |
| Galaxy Tab E 8.0 | RAM-GDS-SKIN-SAM21 | RAM-GDS-DOCKL-V2-SAM21U | • | • | RAM-202 |
| Galaxy Tab S3 9.7 | RAM-GDS-SKIN-SAM27 | RAM-GDS-DOCKL-V2-SAM27U | • | • | RAM-202 |
| Galaxy Tab Active2 | RAM-GDS-SKIN-SAM29 | RAM-GDS-DOCKL-V2-SAM29U RAM-GDS-DOCKL-V2-SAM29CU | | | RAM-202 |
| Galaxy Tab Active2 | RAM-GDS-SKIN-SAM29H | RAM-GDS-DOCKL-V2-SAM29U | • | • | RAM-202 |
| Galaxy Tab A 8.0 (2017) | RAM-GDS-SKIN-SAM35 | RAM-GDS-DOCKL-V2-SAM35U | • | • | RAM-202 |
| Galaxy Tab A 8.0 (2018) | RAM-GDS-SKIN-SAM40 | RAM-GDS-DOCKL-V2-SAM40U RAM-GDS-DOCKL-V2-SAM40-AUD1U* | • | • | RAM-202 |
| Galaxy Tab S4 10.5 | RAM-GDS-SKIN-SAM41 | RAM-GDS-DOCKL-V2-SAM41U | • | • | RAM-202 |
| Galaxy Tab A 10.5 SM-T590 (Wi-Fi) SM-T597 (LTE) | RAM-GDS-SKIN-SAM43 | RAM-GDS-DOCKL-V2-SAM43U RAM-GDS-DOCKL-V2-SAM43-AUD1U* | • | • | RAM-202 |

* Vehicle Dock with Audio Cable

IntelliSkin® With GDS®

Desktop Dock



Seen in this photo:
RAM-GDS-DOCK-D1U, GDS® Desktop Dock Pro
RAM-GDS-SKIN-AP15, IntelliSkin® for the Apple iPad 5th Gen (shown with tablet)

IntelliSkin® With GDS®

Desktop Dock - Single Port

Keep your IntelliSkin®-wrapped devices charged and data synced with these low-profile desktop docks. Choose the compatible dock for your device's data transfer and power capabilities using the chart below.



RAM-GDS-DOCK-D1U



RAM-GDS-DOCK-D2U

| Part Number | Description | Power Specs | Dimensions |
|----------------------|--|--|-----------------|
| RAM-GDS-DOCK-D1U | Desktop Dock Pro | Micro USB 3.0 5V-12V @ 2A | 4.625" x 4.625" |
| RAM-GDS-DOCK-D2U | Desktop Dock | Micro USB 2.0 5V-12V @ 2A | 3" x 2" |
| RAM-GDS-DOCK-D2CU | Desktop Dock | USB Type-C 5V @ 3A 5V @ 3A 12V @ 1.5A 12V @ 3A | 3" x 2" |
| RAM-GDS-DOCK-D1AU | Adjustable Desktop Dock | Micro USB 3.0 5V-12V @ 2A | 5.5" x 4.75" |
| RAM-GDS-DOCK-D2C-NDU | Desktop Dock with USB Type-C for IntelliSkin® HD | USB Type-C 5V @ 3A 5V @ 3A 12V @ 1.5A 12V @ 3A | 3" x 2" |

Desktop Dock - 4-Port or 6-Port

Charge anywhere from four to six IntelliSkin®-wrapped devices through this multi-port dock with integrated power supply. These low-profile, charge-only solutions plug into any 110V wall plug and are compatible with any 220V system with the use of an adapter.



RAM-GDS-DOCK-6G1PU
6-Port Charger

RAM-GDS-DOCK-4G1PU
4-Port Charger

IntelliSkin® With GDS®



Seen in this photo:
RAM-GDS-DOCK-G7U, GDS® Slide Dock™ with IntelliSkin® for the iPad Air 2 (shown with tablet)

IntelliSkin® With GDS®

GDS® Slide Dock™

The GDS® Slide Dock™ charger creates a modular and interchangeable solution for charging carts and cabinets. The dock is adjustable to accommodate virtually any tablet wrapped in an IntelliSkin®.



RAM-GDS-DOCK-G7U

| Part Number | Description |
|-------------------|-----------------------|
| RAM-GDS-DOCK-G7U | Drill-down attachment |
| RAM-GDS-DOCK-G7MU | Magnetic attachment |

Shoulder Strap

With the Shoulder Strap accessory, comfortably carry your IntelliSkin®-wrapped tablet and easily swap devices using the strap's snap hooks.



RAM-GDS-SS1U

Attaches to any IntelliSkin® wrapped device with shoulder strap attachments

GDS® Snap-Con™

With the GDS® Snap-Con™ to mUSB 2.0 adapter, use a mUSB 2.0 cable to quickly charge and sync any device in an IntelliSkin® when a GDS® dock is unavailable.



RAM-GDS-AD2U



RAM-GDS-DOCK-AD2U
(compatible with the RAM-GDS-AD2U)



RAM-GDS-AD3CU


IntelliSkin® With GDS®

GDS® HandStand™ and Risers

The GDS® HandStand™ features a hand strap that allows the device to be rotated 360-degrees so you can achieve the ideal viewing angle. Meanwhile, an integrated kick stand allows for propping up your device at your desk. Using Stand Off Risers, you can offset your vehicle docks and end cups by 1" – giving you room to mount the GDS® HandStand™ when docked.



RAM-GDS-HS1U
Compatible with any IntelliSkin® which features the unique circular interface on the back



RAM-HOL-TAB-RISER2U
Attaches to GDS® Vehicle Docks.
This product is required to fit any IntelliSkin® with GDS® HandStand™ into a vehicle dock



Seen in this photo:
RAM-GDS-SKIN-SAM27, IntelliSkin® for the Samsung Tab S3 9.7 (shown with tablet)
RAM-GDS-HS1U, GDS® HandStand™ for IntelliSkin®

IntelliSkin® With GDS®

Power Accessories

Choose from a variety of power options for your GDS® enabled devices and docks, including Step Down Converter Chargers, a 6-Port USB Charger and 2-Port USB Cigarette and Wall Chargers.

| Part Number | Charger Type | Input Range | Output | Output Connector Type | Compatible Devices |
|--------------------------|--|----------------------|---|--|--|
| RAM-GDS-CHARGE-USB2W | 2-port wall charger | 100-240V 50/60Hz | 5V/2.4A Per Port 24W Max | 2 Qty USB-A Female | Any 5V device with a current requirement of 2.4A or less |
| RAM-GDS-CHARGE-USB2HCIG | 2-port cig charger | 12-24VDC | 5V/2.4A Per Port 24W Max | 2 Qty USB-A Female | Any 5V device with a current requirement of 2.4A or less |
| RAM-GDS-CHARGE-USB2QCCIG | 2-port cig charger with Quick Charge support | 12-18VDC | Quick Charge 3.0(18W) | 2 Qty USB-A Female | Any 5V device with a current requirement of 2.4A or less Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-GDS-CHARGE-V5U | mUSB hardwire | 8-40VDC | 5V (USB 2.0) - 9V (QC) 2.5A Max | 1.2 M cable with Micro-B USB Male | Any 5V device with a current requirement of 2.5A or less Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-GDS-CHARGE-V6U | USB Type-A hardwire | 8-40VDC | 5V (USB 2.0) - 9V (QC) 2.5A Max | 1.2 M cable with USB-A Female | Any 5V device with a current requirement of 2.5A or less Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-GDS-CHARGE-USB6 | 6-port charger | 100-240V 50/60Hz | 5V/2.4A Per Port 60W Max | 6 Qty USB-A Female | Any 5V device with a current requirement of 2.4A or less |
| RAM-GDS-CHARGE-V3CU | USB Type-C hardwire | 12-24VDC | 5V/3A; 9V/3A; 12V/3A 37.5W Max | 1.2 M cable with USB-C Male | Any device supporting Power Delivery 2.0 up to 36W |
| RAM-GDS-CHARGE-USBC2W | GDS® Type-C and Type-A 48W Premium 2-Port Wall Charger | 100V-240V 50/60Hz | USB-A Output : 5V/3A, 9V/2A, 12V/1.5A. USB 2.0 BC 1.2 5V/1.67A | Apple iOS 2.1A and 2.4A support, Qualcomm QC 3.0 on both Type A and Type C up to 18W each. Type C Power Delivery 3.0:5V/3A, 9V/3A, 15V/2A, 20V/1.5A Max 48W (30W for Type-C & 18W for Type-A), 1 QTY Type-C Female (Power Delivery) & 1 QTY Type-A Female (QC 3.0), USB-A: Any 5V, 9V or 12V device with a current requirement of 18W or less. Includes support for Qualcomm Quick Charge 3.0 devices, Apple iOS 2.1A and 2.4A | USB-C; Devices supporting USB 3.1 Power Delivery 3.0 up to 20V/1.5A |
| RAM-GDS-CHARGE-USBCW | GDS® Type-C 18W Mini Wall Charger | 100V-240V 50/60Hz | Type C QC 3.0 Output: 5V/3A, 9V/2A, 12V/1.5A | Type C Power Delivery 3.0 : 5V/3A, 9V/2A, 12V/1.5A, 15V/1.2A Max 18W @3A, 1 QTY Type-C Female (Power Delivery) | USB-C; Devices supporting USB 3.1 Power Delivery 3.0 and Qualcomm Quick Charge 3.0 up to 15V/1.2A |
| RAM-GDS-CHARGE-CIGC | GDS® Type-C and Type A 2-Port Cigarette Charger | 12-24V DC | USB-A Output : 5V/3A, 9V/2A, 12V/1.5A. USB 2.0 BC 1.2 5V/1.67A, Apple iOS 2.1A and 2.4A support, Qualcomm QC 3.0 on both Type A and Type C up to 18W each. Type C Power Delivery 3.0:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2A Max 63W (45W for Type-C & 18W for Type-A) | 1 QTY Type-C Female (Power Delivery) & 1 QTY Type-A Female (QC 3.0), USB-A: Any 5V, 9V or 12V device with a current requirement of 18W or less. Includes support for Qualcomm Quick Charge 2.0 devices and Apple iOS 2.1A and 2.4A | USB-C; Devices supporting USB 3.1 Power Delivery 3.0 up to 20V/2A. |
| RAM-GDS-CHARGE-V3CAU | GDS® Hardwire Charger with USB Type C Male Connector and USB Type A Port | 12V - 24V DC | 5V - 15VDC 3A Max | Male Type-C with Female Type-A | Supports any USB-C Device that uses the USB 3.1 PD2.0 standard or higher, with max power up to 36W (5V/3A, 9V/3A, 12V/3A, 15V/2.5A) |



RAM-GDS-CHARGE-USB2QCCIG



RAM-GDS-CHARGE-V5U

IntelliSkin® Contact Brush

This small brush is used to clean debris build-up on the GDS® contacts of IntelliSkin® sleeves. Performing routine cleaning of the GDS® contacts helps to maintain excellent performance and prevent any loss in functionality. An included adhesive pad can be attached to a variety of surfaces.



RAM-GDS-BRUSH-01U

Think Outside The Warehouse



RAM® No-Drill™ Laptop Mount



RAM® X-Grip® Suction Cup Mount



Seen in this photo:
RAM-VB-193-SW1, RAM® No-Drill™ Laptop Mount
(shown with Panasonic Toughbook)



Seen in this photo:
RAM-B-166-UN7U, RAM® Twist-Lock™ Suction Cup Mount with
RAM® X-Grip® (shown with iPhone 7)

Think Outside The Warehouse

After product leaves the warehouse, RAM® Mounts is there for the long haul. From laptop and GPS cradles to locking vehicle mounts to ELD mandate bundle solutions, RAM® has long been a trusted partner in the transportation and logistics industry. These in-cab systems provide delivery trucks and large fleets with the tools they need to get the job done everyday. Our durable mounting solutions are the most versatile of their kind, allowing customers to scale without spending money on entire new systems.

You can always feel confident knowing that RAM® Mounts are backed by a lifetime warranty. We believe in the product so much that we're confident it can support nearly any mounting need you have. If you have a custom mounting need, get in touch with our agriculture mounting experts at sales@rammount.com.



RAM® Tab-Lock™ Locking Cradle Dash Mount



Seen in this photo:
RAM-B-101U-225B, Double Ball Mount With Dashboard Backing Plate
RAM-GDS-DOCKL-V2-SAM16U, GDS® Locking Vehicle Dock for the Samsung Galaxy Tab A 8.0
RAM-GDS-SKIN-SAM16U, IntelliSkin® for the Samsung Galaxy Tab A 8.0 (shown with tablet)

Partner Highlight



RAM® Mounts supplies compatible mounting solutions for Crown Work Assist Accessories.



Shown with Honeywell CV6I

RAYMOND

RAM® Mounts provides integrated mounts for Raymond's iWarehouse® solution and aftermarket Raymond accessories.



Shown with iWarehouse Light and Fan

Partner Highlight

Honeywell


Integrated at the OEM level, RAM® Mounts supplies Honeywell with custom mounting components.



Shown with Honeywell Thor VM3 and Granit Series Scanner



RAM® Mounts is also proud to supply custom mounting solutions to Zebra Technologies.



Shown with Zebra VC80 and QL420 printer

Partner Highlight



RAM® Mounts provides the preferred mounting solution for the Datalogic Rhino II™ vehicle computer.



Shown with Datalogic Rhino II™



RAM® Mounts manufactures cradles for both the PocketJet® and RuggedJet® lines of mobile printers.



Shown with Brother RuggedJet® printer

Partner Highlight




RAM® Mounts created a custom mounting solution for I.D. Systems' VAC4 Vehicle Asset Communicator®.



Shown with I.D. Systems' VACA4 Vehicle Asset Communicator®




Utilizing IntelliSkin® with GDS Technology™, Socket Mobile's Duracase is a one-handed barcode scanning solution that charges the device and scanner simultaneously.



Shown with Socket Mobile's Duracase


Drawings

Drawing 1




RAM-B-238U
RAM-238U

Drawing 2




RAM-B-202U
RAM-202U
RAM-202U-IN1

Drawing 3




RAM-D-254U

Drawing 4




RAM-D-202U
RAM-D-202U-IN1
RAM-E-202U
RAM-E-202U-IN1

Drawing 5




RAM-D-202U-SYM1
RAM-E-202U-SYM1

Drawing 6




RAM-2462U
RAM-D-2462U

Drawing 7



RAM-2461U
RAM-2461U-IN1
RAM-D-2461U

Drawing 8



RAM-246U
RAM-D-246U
RAM-D-246U-IN1
RAM-E-246U
RAM-E-246U-IN1

Compatibility Guide

Advantech DLoG

| Device Type | Model | Holder | Ball Adapter |
|-------------|-----------|--------|--------------|
| Display | DLT-V8310 | N/A | RAM-D-2461U |
| Display | DLT-V8312 | N/A | RAM-D-2461U |
| Display | MTC 6/10 | N/A | RAM-D-2461U |
| Display | MTC 6/12 | N/A | RAM-D-2461U |
| Display | MTC 6/15 | N/A | RAM-D-2461U |
| Display | PWS-870 | N/A | RAM-D-2461U |
| Display | TREK 723 | N/A | RAM-202U |
| Display | TREK 773 | N/A | RAM-D-2461U |
| Display | XMT 5/7 | N/A | RAM-D-2461U |
| Display | XMT 5/10 | N/A | RAM-D-2461U |

AML

| Device Type | Model | Holder | Ball Adapter |
|-------------|----------|--------|--------------|
| Display | Guardian | N/A | RAM-202U |
| Display | Phoenix | N/A | RAM-202U |

Datalogic

| Device Type | Model | Holder | Ball Adapter |
|-------------|------------|------------------------|--------------|
| Display | Rhino II | N/A | RAM-D-2461U |
| Handheld | Falcon FX3 | RAP-317U | RAM-202U |
| Handheld | Falcon FX3 | OEM cradle (94A151131) | RAM-202U |
| Handheld | PowerScan | RAP-396U | RAM-202U |
| Handheld | Skorpio X3 | RAP-317U | RAM-202U |
| Handheld | Skorpio X3 | OEM cradle (94A150041) | RAM-202U |

Glacier Computer

| Device Type | Model | Holder | Ball Adapter |
|-------------|---------------|--------|--------------|
| Display | Everest S9000 | N/A | RAM-D-246U |
| Display | Kodiak | N/A | RAM-D-246U |

For the most up to date compatibility guide, visit rammount.com/vb-kits

Compatibility Guide

Honeywell

| Device Type | Model | Holder | Ball Adapter |
|-------------|-----------------------|--------------------------------|--------------|
| Display | CV41 | N/A | RAM-D-254U |
| Display | CV61 | N/A | RAM-D-202U |
| Display | Thor CV31 | N/A | RAM-D-202U |
| Display | Thor VM1 | N/A | RAM-D-254U |
| Display | Thor VM2 | N/A | RAM-D-254U |
| Display | Thor VM3 | N/A | RAM-D-254U |
| Display | Thor VX9 | N/A | RAM-D-202U |
| Handheld | Dolphin 70e | RAM-HOL-UN7BU | N/A |
| Handheld | Dolphin 99GX | RAP-317U | RAM-202U |
| Handheld | Dolphin 99GX | OEM cradle (99EX-MB-12) | RAM-202U |
| Handheld | Dolphin CT50 | RAM-HOL-UN10BU | N/A |
| Handheld | Dolphin CT50 | OEM cradle (CT50-MB-0) | RAM-202U |
| Handheld | Dolphin CT50 | OEM powered cradle (CT50-MB-1) | RAM-202U |
| Handheld | Granite 1911 Series | RAP-396U | RAM-202U |
| Handheld | Intermec CK3 | RAM-HOL-SUR1U | RAM-202U |
| Handheld | Intermec CK3X/CK3R | RAP-317U | RAM-202U |
| Handheld | Intermec CK3X/CK3R | OEM cradle (871-231-102) | RAM-202U |
| Handheld | Intermec CK3X/CK3R | OEM cradle (871-236-001) | RAM-202U |
| Handheld | Intermec CN3/CN4 | RAM-HOL-UN11PU | RAM-202U |
| Handheld | Intermec CN3/CN4 | RAM-HOL-IN11PEBU | RAM-202U |
| Handheld | Intermec CN3/CN4 | RAM-HOL-IN11PECU | RAM-202U |
| Handheld | Intermec CN3/CN4 | RAM-HOL-IN11U | RAM-202U |
| Handheld | Intermec CN50/CN51 | RAM-HOL-IN19PBU | RAM-202U |
| Handheld | Intermec CN50/CN51 | RAM-HOL-IN19PCU | RAM-202U |
| Handheld | Intermec CN50/CN51 | RAM-HOL-IN19U | RAM-202U |
| Handheld | Intermec CK70/CK71 | RAP-317U | RAM-202U |
| Handheld | Intermec CK70/CK71 | OEM dock (871-035-001) | RAM-202U |
| Handheld | Intermec CK70/CK71 | OEM cradle (805-672-001) | RAM-202U |
| Handheld | Intermec CN70/CN70e | RAP-317U | RAM-202U |
| Handheld | Intermec CN70/CN70e | OEM dock (871-034-001) | RAM-202U |
| Handheld | Intermec CN70/CN70e | OEM cradle (805-672-001) | RAM-202U |
| Handheld | Vocollect A700 Series | Vehicle Mount Talkman (VMT) | RAM-B-202U |

JLT Mobile Computers

| Device Type | Model | Holder | Ball Adapter |
|-------------|------------|--------|--------------|
| Display | JLT1214P/N | N/A | RAM-D-2461U |
| Display | MT1010 | N/A | RAM-D-246U |
| Display | Verso+ 10 | N/A | RAM-D-2461U |
| Display | Verso 12 | N/A | RAM-D-2461U |
| Display | Verso 15 | N/A | RAM-D-2461U |

For the most up to date compatibility guide, visit rammount.com/vb-kits

Compatibility Guide

MobileDemand

| Device Type | Model | Holder | Ball Adapter |
|-------------|-----------------|--------------------|--------------|
| Display | xTablet Flex 8 | OEM Snap Mount | RAM-202U |
| Display | xTablet Flex 10 | OEM Snap Mount | RAM-202U |
| Display | xTablet T1200 | OEM vehicle dock | RAM-D-202U |
| Display | xTablet T1200 | OEM vehicle cradle | RAM-D-202U |
| Display | xTablet T1400 | OEM cradle | RAM-2461U |
| Display | xTablet T1600 | OEM vehicle cradle | RAM-2461U |
| Display | xTablet T7200 | OEM cradle | RAM-202U |

noax Technologies

| Device Type | Model | Holder | Ball Adapter |
|-------------|-------------------|--------|--------------|
| Display | C12 Industrial PC | N/A | RAM-D-2461U |
| Display | C15 Industrial PC | N/A | RAM-D-2461U |

Panasonic

| Device Type | Model | Holder | Ball Adapter |
|-------------|-----------------|-----------------|--------------|
| Display | Toughbook CF-19 | RAM-234-PAN2 | RAM-D-2461U |
| Display | Toughbook CF-H2 | RAM-HOL-PAN5U | RAM-2461U |
| Display | Toughbook CF-H2 | RAM-HOL-PAN5PU | RAM-2461U |
| Display | Toughpad FZ-A1 | RAM-HOL-TABL10U | RAM-202U |
| Display | Toughpad FZ-B2 | RAM-HOL-TABL12U | RAM-202U |
| Display | Toughpad FZ-G1 | RAM-HOL-TABL19U | RAM-202U |
| Display | Toughpad FZ-M1 | RAM-HOL-TABL12U | RAM-202U |
| Display | Toughpad FZ-Q1 | RAM-234-3 | RAM-202U |
| Display | Toughpad FZ-R1 | RAM-234-3 | RAM-202U |
| Handheld | Toughbook FZ-N1 | RAM-HOL-PAN11U | RAM-B-238U |
| Handheld | Toughbook FZ-T1 | RAM-HOL-PAN14U | RAM-B-238U |

Winmate

| Device Type | Model | Holder | Ball Adapter |
|-------------|-------|--------|--------------|
| Display | FM10 | N/A | RAM-D-2461U |
| Display | M700 | N/A | RAM-2461U |
| Display | M970D | N/A | RAM-2461U |
| Display | M9020 | N/A | RAM-202U |

Xplore Technologies

| Device Type | Model | Holder | Ball Adapter |
|-------------|--------------|-------------------------------|--------------|
| Display | Bobcat | OEM cradle (xDock G2) | RAM-2461U |
| Display | Motion CL920 | CL-Series locking mobile dock | RAM-2461U |
| Display | Motion CL920 | OEM mounting plate | RAM-2461U |
| Display | Motion F5m | RAM-HOL-MOT9U | RAM-2461U |
| Display | Motion F5m | RAM-HOL-MOT9PU | RAM-2461U |
| Display | Motion F5m | RAM-HOL-MOT9PU-USB | RAM-2461U |
| Display | Motion R12 | OEM cradle | RAM-2461U |
| Display | XC6 Series | XDock Pro Holder | RAM-2461U |
| Display | XC6 Series | XDim Pro Holder | RAM-2461U |

For the most up to date compatibility guide, visit rammount.com/vb-kits


Compatibility Guide

Zebra

| Device Type | Model | Holder | Ball Adapter |
|-------------|-------------------------------|---|------------------|
| Display | 8585 Vehicle Mounted Computer | N/A | RAM-D-246U |
| Display | ET1 Enterprise Tablet | RAM-HOL-TABL4U | RAM-202U |
| Display | ET50/55 8.3" | 3rd party cradle | RAM-202U |
| Display | ET50/55 8.3" | 3rd party cradle | RAM-2461U |
| Display | ET50/55 10.1" | RAM-HOL-TABL25U | RAM-202U |
| Display | VC70N0 | N/A | RAM-D-2461U |
| Display | VC70N0 | N/A | RAM-D-2461U |
| Display | VC80 | N/A | RAM-D-202U-23 |
| Display | VH10 | N/A | RAM-D-202U-23 |
| Handheld | DS3500 Series | RAP-396U | RAM-202U |
| Handheld | DS3608 | RAP-396U | RAM-202U |
| Handheld | EP10 | OEM cradle (ep10-rv1000) | RAM-202U |
| Handheld | EP10 | OEM cradle (ep10-rv1005) | RAM-202U |
| Handheld | LI3608/3678 | RAP-396U | RAM-202U |
| Handheld | LS3408 | RAP-396U | RAM-202U |
| Handheld | MC40 | RAM-HOL-UN10BU | N/A |
| Handheld | MC45 | RAM-HOL-UN7BU | N/A |
| Handheld | MC45 | OEM cradle (VCD45XX-1000R) | RAM-B-202U-MOTO2 |
| Handheld | MC55 | RAM-HOL-UN10BU | N/A |
| Handheld | MC55 | RAM-HOL-SYM3U | RAM-202U |
| Handheld | MC55 | RAM-HOL-SYM3PU | RAM-202U |
| Handheld | MC55 | RAM-HOL-SYM3PECU | RAM-202U |
| Handheld | MC55 | RAM-HOL-SYM3PEC-1U | RAM-202U |
| Handheld | MC55 | RAM-HOL-SYM3PE-RAY1U | RAM-202U |
| Handheld | MC67 | RAM-HOL-UN10BU | N/A |
| Handheld | MC67 | RAM-HOL-SYM3U | RAM-202U |
| Handheld | MC67 | RAM-HOL-SYM3PU | RAM-202U |
| Handheld | MC67 | RAM-HOL-SYM3PECU | RAM-202U |
| Handheld | MC67 | RAM-HOL-SYM3PEC-1U | RAM-202U |
| Handheld | MC67 | RAM-HOL-SYM3PE-RAY1U | RAM-202U |
| Handheld | MC9200 | RAP-317U | RAM-202U |
| Handheld | MC9190-Z | RAP-317U | RAM-202U |
| Handheld | MT2000 | RAP-396U | RAM-202U |
| Handheld | Omnii XT15 | OEM cradle (ST1000) | RAM-202U |
| Handheld | Omnii XT15 | OEM cradle (ST1002) | RAM-202U |
| Handheld | TC51/TC56 | RAM-HOL-UN7BU | N/A |
| Handheld | TC51/TC56 | OEM cradle (CRD-TC56-VCVD1-01) | RAM-B-238U |
| Handheld | TC55 | RAM-HOL-UN10BU | N/A |
| Handheld | TC55 | OEM cradle (CRD-TC55-VCD1-01) | RAM-B-202U-MOTO2 |
| Handheld | TC70 | RAM-HOL-UN4U | RAM-B-238U |
| Handheld | TC70 | OEM cradle (CRD-TC7X-CVCD1-01) | RAM-B-238U |
| Handheld | TC75 | RAM-HOL-UN4U | RAM-B-238U |
| Handheld | TC75 | OEM cradle (CRD-TC7X-CVCD1-01) | RAM-B-238U |
| Handheld | TC8000 | OEM cradle | RAM-B-202U |
| Handheld | Workabout Pro 4 | OEM cradle (WA1210-G2) | RAM-202U |
| Handheld | Workabout Pro 4 | OEM cradle (WA1310-G2) | RAM-202U |
| Handheld | TC51, 52, 56, & 57 | RAM-HOL-ZE6U | RAM-B-238U |
| Handheld | TC70, TC72, TC75 & TC77 | RAM-HOL-ZE7U RAM-HOL-ZE7LU RAM-HOL-ZE7CLU | RAM-B-238U |

For the most up to date compatibility guide, visit rammount.com/vb-kits

The Shape That Started It All



RAM® double socket arms with their distinctive Hourglass Shape are recognized globally as a symbol of the reliability, quality and durability of this line of products. The Hourglass Shape is a registered trademark of National Products Inc.

The unique RAM® Mounts system offers a full line of interchangeable mounting bases, extensions, device adapters and accessories to secure your gear where you want it. See all of the innovative products and solutions RAM® manufactures at rammount.com.



The distinctive RAM® "X-Grip" product shape is a trademark of National Products Inc.



The distinctive "D" product shape of the GDS® connector is a trademark of National Products Inc.




RAM® Mounts is a division of National Products Inc.
8410 Dallas Avenue South
Seattle, WA 98108
Phone: 800.497.7479
sales@rammount.com
rammount.com

Lifetime Warranty
Patents and Trademarks
rammount.com/ip



**RAM[®]
MOUNTS**



Contact Us

sales@rammount.com

1-800-497-7479

Join Our Community



NPI-CAT-MATHAND17
DECEMBER 2017